





# QC 3.0 Wall Charger - 18 W

USB-A Qualcomm® Quick Charge™ 3.0 Port up to 18 W, Europlug, White

Part No.: 102285

EAN-13: 0766623102285 | UPC: 766623102285

# The QC™ 3.0 Wall Charger — portable, powerful charging

Enjoy full charging power with the Manhattan QC 3.0 Wall Charger - 18 W (Europlug). Its USB-A port uses Qualcomm™ Quick Charge 3.0 technology to charge any QC-compatible device up to 75% faster than a standard charger. The stylish, compact and ultra-modern design makes it the perfect power companion. It also protects itself and your devices from short-circuiting, overvoltage, overcurrent and overheating.

#### Features:

- Qualcomm® Quick Charge™ (QC) 3.0 technology for charging up to four times faster than standard chargers\*
- QC 3.0 USB-A port delivering up to 18 W
- Overload, overcurrent, overheating and short-circuiting protection
- Works with non-Quick Charge devices
- Compact, portable and stylish design for easy travel
- Three-year warranty
- \*Refer to the documentation of the device to ensure it is supported

### **Specifications:**

Standards and Certifications

- USB 2.0
- Qualcomm® Quick Charge™ 3.0



# manhattan-products.com

- CE
- RoHS
- WEEE

#### **Ports**

• One USB-A with QC 3.0

## Input Characteristics

AC rated voltage: 100 – 240 V

Frequency range: 50 – 60 Hz (±1 Hz)
Current: ? 0.6 A at 100 VAC 60 HZ

### **Output Characteristics**

Rated voltage: 3.6 − 12 V

Current: 3 A maximum (at constant voltage mode)

Rated power: 18 watts maximum

Overshoot voltage: ? 5%

Voltage/current settings (maximum):

- USB-A QC 3.0 18 W:

- 3.6 - 6.5 V / 3 A

-6.5 - 9 V / 2 A

- 9 - 12 V / 1.5 A

#### **Protection Characteristics**

- Short-circuit (SCP) with auto-recovery mode
- Overvoltage (OVP) with auto-recovery mode
- Overcurrent (OCP) current limit: 150% (max)
- Over-temperature (OTP)

#### Physical

• Dimensions: 6.47 x 4.95 x 3.15 cm (2.55 x 1.95 x 1.24 in.)

• Weight: 0.07 kg (2.46 oz.)

Housing: polycarbonate

#### Operating Environment

Operation Temperature: 0 – 30°C (32 – 86°F)

• Storage Temperature: -20 - 65°C (-4 - 149°F)

• Humidity (noncondensing): 10 – 90%

## Package Contents

• QC 3.0 Wall Charger - 18 W

Quick Instruction Guide



# manhattan-products.com







